UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/628,613	07/29/2003	Fraser Evans	MBT-105-B	5830
Thomas N. Yo	7590 10/02/200	7	EXAM	INER
YOUNG & BASILE P.C. Suite 624 3001 West Big Beaver Road Troy, MI 48084			CHAN, KO HUNG	
			ART UNIT	PAPER NUMBER
			3632	
				•
•			MAIL DATE	DELIVERY MODE
			10/02/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)		
Office Action Summary		10/628,613	EVANS, FRASER		
		Examiner	Art Unit		
		Korie H. Chan	3632		
Di	The MAILING DATE of this communication app	pears on the cover sheet with the c	correspondence address		
Period fo	• •				
WHIC - Exte after - If NC - Failu Any	CORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.11 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period varie to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing led patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from . cause the application to become ABANDONE	N. mely filed the mailing date of this communication. CD (35 U.S.C. & 133)		
Status					
1) 🏹	Responsive to communication(s) filed on 18 Ju	ılv 2007			
	· · · · · · · · · · · · · · · · · · ·	action is non-final.			
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under E				
Disposit	ion of Claims				
4)⊠	Claim(s) 1-13 is/are pending in the application.				
	4a) Of the above claim(s) is/are withdraw				
	Claim(s) is/are allowed.				
	Claim(s) <u>1-4,9,10,12 and 13</u> is/are rejected.				
	Claim(s) 5-8 and 11 is/are objected to.				
8)□	Claim(s) are subject to restriction and/or	r election requirement.	•		
Applicat	ion Papers				
9)	The specification is objected to by the Examine	r			
	The drawing(s) filed on is/are: a) acce		Evaminer		
,	Applicant may not request that any objection to the				
	Replacement drawing sheet(s) including the correct				
11)	The oath or declaration is objected to by the Ex				
	under 35 U.S.C. § 119				
	Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a))-(d) or (f).		
a) _l	All b) Some * c) None of:		,		
	1. Certified copies of the priority documents				
	2. Certified copies of the priority documents3. Copies of the certified copies of the priority				
	 Copies of the certified copies of the prior application from the International Bureau 		o in this National Stage		
* 5	See the attached detailed Office action for a list	• • • • • • • • • • • • • • • • • • • •	. h		
	and and and and and and and and	o. and donation dopies not receive			
Attachmen	t(s)				
_	e of References Cited (PTO-892)	4) Interview Summary	(PTO-413)		
2) 🔲 Notic	e of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate		
	mation Disclosure Statement(s) (PTO/SB/08) or No(s)/Mail Date	5) Notice of Informal P 6) Other:	atent Application		
	/ - /	٠, ايما المارة عند المارة عند المارة الم			

Application/Control Number: 10/628,613

Art Unit: 3632


DETAILED ACTION

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 102

Claims 1-4, 9, 10, and 12 stand rejected under 35 U.S.C. 102(b) as being anticipated by Asamoto (US patent no. 3,945,676).

Asamoto discloses a clamp apparatus having all the claimed features of applicant's invention as illustrated below.



Claim Rejections - 35 USC § 103

Claim 13 stands rejected under 35 U.S.C. 103(a) as being unpatentable over Asamoto'676 in view of Wood III et al (US patent no. 4,934,511). Asamoto disclosed all the claimed features of applicant's invention except for the pad portions are of tubular shape. To provide pad portions of tubular shape are old and well-known in the clamping art. Wood teaches a clamp having tubular member pad portions (109, figure 8) connected to the pivotal arms (107, figure 8) of the clamp. It would have been obvious to one of ordinary skill in the art to have modify the clamp of Asamoto such that the pad portion are of tubular shape as taught by Wood. Such modification would have involved a mere substitution of one well-known pad portion for another which is well within the ambit of one of ordinary skill in the art.

Claims 5-8 and 11 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments filed 7/18/2007 have been fully considered but they are not persuasive. Applicant amendment to the claims did not overcome the rejection on sections 102 and 103 based on Asamoto and Asamoto in combination with Wood III. Asamoto does show "during movement **from closed** positions (solid lines as shown below) **to open** positions (dash lines as shown below), the pad portions move in a


Application/Control Number: 10/628,613

Art Unit: 3632

respective directions away from the normal plane (normal plane portion between the two arms) and the medial plane B".

Again applicant's recitation does not overcome Asamoto as illustrated below.

Asamoto's pad portions movement is moving away from the normal plane portion at the seat between the arms and away from the medial plane portion between the arms.



As discussed previously, the medial plane and the normal plane extends through to either side of the pad motion, such that the pad can be said to move away or toward the planes from the closed to open or vice versa which says such limitation is meaningless as direction goes and does not overcome Asamoto at all.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Korie H. Chan whose telephone number is 571-272-6816. The examiner can normally be reached on Monday - Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman can be reached on (571)272-6842. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3632

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Korie H. Chan/ Korie H. Chan, Primary Examiner Art Unit 3632

khc September 25, 2007